## For Research Use Only

## c-Myc Polyclonal antibody

Catalog Number: 10057-1-AP 14 Publications



**Purification Method:** 

Antigen affinity purification

**Basic Information** 

Catalog Number:

10057-1-AP

Size:

270 µg/ml Source:

Rabbit Isotype:

GenBank Accession Number:

BC000917

GeneID (NCBI):

4609

**UNIPROT ID:** P01106

Full Name:

v-myc myelocytomatosis viral

oncogene homolog (avian)

Calculated MW: 48 aa, 8 kDa Observed MW:

62-65 kDa, 50 kDa

**Applications** 

Cited Applications:

Species Specificity:

Cited Species:

human, mouse, rat

**Tested Applications:** 

human, mouse, rat

**Background Information** 

MYC contains one basic helix-loop-helix (bHLH) domain. This protein is a multifunctional, nuclear phosphoprotein that plays a role in cell cycle progression, apoptosis and cellular transformation. It functions as a transcription factor  $that \ regulates \ transcription \ of \ specific \ target \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ the \ transcription \ of \ growth-related \ genes. \ the \ transcription \ growth-related \ genes. \ The \ transcription \ the \ transcription \ growth-related \ growth-related \ genes. \ The \ transcription \ the \ tr$ binds DNA in a non-specific manner, yet also specifically recognizes the core sequence 5'-CAC[GA]TG-3'. Mutations, overexpression, rearrangement and translocation of this gene have been associated with a variety of hematopoietic tumors, leukemias and lymphomas, including Burkitt lymphoma. This antibody is a rabbit polyclonal antibody raised against recombinant protein of human MYC.The 50kDa band recognized by antibody is the native form of MYC, while the other bands, between 60-70kDa, are the phosphorylated form of MYC [PMID: 12189186]

## **Notable Publications**

Author	Pubmed ID	Journal	Application
Chen Xin-Mei XM	24265759	PLoS One	WB
X Yuan	27819668	Oncogenesis	WB
Bo Wang	32186775	Mol Med Rep	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data