For Research Use Only

## MFI2 Polyclonal antibody Catalog Number: 10428-1-AP 3 Publications





Basic Information	Catalog Number: GenBank Accession Number: 10428-1-AP BC001875		Number:	Purification Method:	
	Size:	GenelD (NCBI):		Antigen affinity purification Recommended Dilutions:	
	Surce:     Utered (NCb).     Recommended of data       600 ug/ml     4241     WB 1:200-1:1000       Source:     UNIPROT ID:     IHC 1:50-1:500				
			IHC 1:50-1:500		
	Rabbit P08582				
	lsotype:				
	IgG antigen p97 (melanoma associated) identified by monoclonal antibodies				
	Immunogen Catalog Number: Identified by monocional antibodies   AG0700 133.2 and 96.5   Calculated MW:			1	
	80 kDa Observed MW:				
		82 kDa			
Applications	Tested Applications:		Positive Controls: WB : HEK-293 cells, HeLa cells, Transfected		
	WB, IHC, ELISA				
	Cited Applications: WB, IF		IHC : human ovary cancer tissue,		
	Species Specificity:				
	human, mouse, rat				
	Cited Species: human, mouse, rat				
					Note-IHC: suggested a with TE buffer pH 9.0; ( antigen retrieval may b with citrate buffer pH 6
	Background Information	MFI2 (Melanotransferrin/Mtf/TRMF), also known as p97 or CD228, is an iron-binding glycoprotein belonging to the transferrin family. Alternative RNA splicing yields two forms of different length transcripts, one (the longer) bound to the membrane (mMFI2) and the other (the shorter) secreted to the peripheral environment (sMFI2) such as bloo and cell supernatant. MFI2 is upregulated in tumor tissues and has been identified as a serological marker of colorectal cancer (PMID: 25216327).			
Notable Publications	Author	Pubmed ID Jou	rnal	Application	
	Yanhong Mao	36303086 Rep	rod Sci	WB,IF	
	Ping Yin	34907172 Cell	Death Discov	WB	
	Jianfeng Shu	37583701 From	nt Immunol	WB	

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Immunohistochemical analysis of paraffinembedded human ovary cancer tissue slide using 10428-1-AP (MFI2 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

HEK-293 cells were subjected to SDS PAGE followed by western blot with 10428-1-AP (MFI2 antibody) at dilution of 1:100 incubated at room temperature for 1.5 hours.