For Research Use Only

UBC Polyclonal antibody

Catalog Number: 10457-1-AP

Featured Product

3 Publications



Basic Information

Catalog Number: 10457-1-AP

Size:

GenBank Accession Number:

BC008955

GeneID (NCBI):

Calculated MW:

 $600 \mu \text{ g/ml}$ 7316

Source: UNIPROTID: Rabbit POCG48

Isotype: Full Name: IgG ubiquitin C

AG0711 60 kDa

Applications

Tested Applications:

Immunogen Catalog Number:

IHC, ELISA

Cited Applications:

WB

Species Specificity:

human, mouse, rat

Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

IHC: mouse liver tissue, human lung cancer tissue, human urothelial carcinoma tissue, mouse stomach tissue, rat liver tissue, rat pancreas tissue, rat stomach

Purification Method:

IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

tissue

Background Information

Ubiquitin (Ub) is a small, highly conserved eukaryotic protein that has an essential role in diverse cellular signaling pathways, including targeting proteins for proteasomal degradation. Cellular Ub is comprised of two distinct pools consisting of free Ub and Ub-substrate conjugates. UbC is a polyubiquitine gene that encodes Ub polyprotein. UbC, as stress-inducible polyubiquitin precursor proteins of around 9-11 monomers, is cleaved into monomeric ubiquitin by cellular deubiquitylating enzymes.

Notable Publications

Author	Pubmed ID	Journal	Application
Zhan-Jun Ma	27417256	Chem Biol Interact	
Yuan Tian	24367661	PLoS One	WB
Zhenyan Li	38340785	Neuroscience	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 10457-1-AP (UBC antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 10457-1-AP (UBC antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 10457-1-AP (UBC antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 10457-1-AP (UBC antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human urothelial carcinoma tissue slide using 10457-1-AP (UBC antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human urothelial carcinoma tissue slide using 10457-1-AP (UBC antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded mouse stomach tissue slide using 10457-1-AP (UBC antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded rat liver tissue slide using 10457-1-AP (UBC antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat pancreas tissue slide using 10457-1-AP (UBC antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).





Immunohistochemical analysis of paraffinembedded rat stomach tissue slide using 10457-1-AP (UBC antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Immunohistochemical analysis of paraffinembedded rat stomach tissue slide using 10457-1-AP (UBC antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).