

PRDX3 Polyclonal antibody

Catalog Number: 10664-1-AP

Featured Product

27 Publications

Basic Information

Catalog Number:

10664-1-AP

Size:

600 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG1062

GenBank Accession Number:

BC007062

GeneID (NCBI):

10935

UNIPROT ID:

P30048

Full Name:

peroxiredoxin 3

Calculated MW:

27 kDa

Observed MW:

26-28 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:2000-1:16000

IHC 1:50-1:500

IF/ICC 1:50-1:500

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : HeLa cells, HEK-293 cells, MCF-7 cells, LNCaP cells, mouse brain tissue, mouse heart tissue

IHC : human lung cancer tissue,

IF/ICC : HepG2 cells,

Background Information

PRDX3 (Peroxiredoxin 3), also named as AOP1, HBC189 and MER5, belongs to the ahpC/TSA family. It is involved in redox regulation of the cell and protects radical-sensitive enzymes from oxidative damage by a radical-generating system. PRDX3 is required for MYC-mediated proliferation, transformation, and apoptosis after glucose withdrawal and essential for maintaining mitochondrial mass and membrane potential in transformed rat and human cells (PMID:12011429). PRDX3 acts synergistically with MAP3K13 to regulate the activation of NF-κappa-B in the cytosol.

Notable Publications

Author	Pubmed ID	Journal	Application
Ling Fu	31411056	Antioxid Redox Signal	WB
Caitlin E. Miller	36358489	Antioxidants (Basel)	WB
Eirini Meimaridou	29046340	J Endocrinol	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 10664-1-AP (PRDX3 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded human lung cancer tissue slide using 10664-1-AP (PRDX3 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffin-embedded human lung cancer tissue slide using 10664-1-AP (PRDX3 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



HeLa cells were subjected to SDS PAGE followed by western blot with 10664-1-AP (PRDX3 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using PRDX3 antibody (10664-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



WB result of PRDX3 antibody (10664-1-AP; 1:12000; incubated at room temperature for 1.5 hours) with sh-Control and sh-PRDX3 transfected HEK-293 cells.