For Research Use Only

Rab18 Polyclonal antibody

Catalog Number:11304-1-AP

Featured Product

15 Publications




| Basic Information | Catalog Number: 11304-1-AP | GenBank Accession Number: BC015014 | | Purification Method: Antigen affinity purification | | |
|------------------------|---|--|--|---|-----------------------|--|
| | Size: | | | • • | | |
| | 450 μg/ml | GenelD (NCBI): 22931 | | Recommended Dilutions: WB 1:1000-1:6000 | | |
| | Source: | UNIPROT ID: | | IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:50-1:500 | | |
| | Rabbit | | | | | |
| | Isotype: | Full Name: | | | | |
| | IgG | RAB18, memb | RAB18, member RAS oncogene family IF/ICC 1:200-1:800 | | | |
| | Immunogen Catalog Number: AG1841 | Calculated MW: 206 aa, 23 kDa | | | | |
| | | Observed MW 20-23 kDa | Observed MW: 20-23 kDa | | | |
| Applications | Tested Applications: | and the second | | Positive Controls: | | |
| | WB, IHC, IF/ICC, IF-P, IP, ELISA | | | WB : mouse brain tissue, human heart tissue, human | | |
| | Cited Applications: WB, IHC, IF Species Specificity: human, mouse, rat | | | brain tissue, PC-3 cells, human testis tissue, mouse testis tissue, rat brain tissue | | |
| | | | IP : mouse | IP : mouse testis tissue, rat testis tissue | | |
| | | | IHC : mous | IHC : mouse brain tissue, human stomach cancer tissu | | |
| | Cited Species: human, mouse, pig, monkey | and the second | | IF-P : mouse brain tissue, | | |
| | Note-IHC: suggested antig TE buffer pH 9.0; (*) Alterr retrieval may be performe buffer pH 6.0 | n | EK-293 cells, | | | |
| Background Information | RAB18 is a member of a family of and may be implicated in transp eye and brain development and type 3. | ort between the pla | isma membrane and | early endosomes. It als | o plays a key role ir | |
| Notable Publications | Author | Pubmed ID | Journal | | Application | |
| | Jenifer Monks | 36158190 | Front Cell Dev Bio | ol | IHC | |
| | Binge Wu | 30464528 | Onco Targets The | r | WB,IHC | |
| | Xu Ji | 32494165 | Onco Targets The | r | WB,IHC | |
| Storage | Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide an | | 7.3. | | | |


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 11304-1-AP (Rab18 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.




human testis tissue were subjected to SDS PAGE followed by western blot with 11304-1-AP (RAB18 antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 11304-1-AP (Rab18 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 11304-1-AP (Rab18 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunofluorescent analysis of (-20°C Ethanol) fixed HEK-293 cells using Rab18 antibody (11304-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).




Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using Rab18 antibody (11304-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using Rab18 antibody (11304-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



IP result of anti-Rab18 (IP:11304-1-AP, 4ug; Detection:11304-1-AP 1:2000) with mouse testis tissue lysate 1120 ug.



IP result of anti-Rab18 (IP:11304-1-AP, 4ug; Detection:11304-1-AP 1:2000) with rat testis tissue lysate 4000 ug.