For Research Use Only

PNPLA3 Polyclonal antibody

Catalog Number: 11442-1-AP

3 Publications



Purification Method:

WB 1:500-1:1000

IHC 1:50-1:500

Positive Controls:

IHC: human liver cancer tissue.

WB: LO2 cells,

Antigen affinity purification Recommended Dilutions:

Basic Information

Catalog Number: 11442-1-AP

Size: 550 μg/ml Source: Rabbit Isotype:

patatin-like phospholipase domain containing 3

Immunogen Catalog Number: AG1959 Calculated MW: 481 aa, 53 kDa

Observed MW:

50-70 kDa, 130-150 kDa

GenBank Accession Number:

GeneID (NCBI):

UNIPROT ID: Q9NST1

Full Name:

80339

Applications

Tested Applications: IHC, WB, ELISA

Cited Applications:

Species Specificity: human, mouse **Cited Species:** human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

PNPLA3 belongs to a family of proteins that share a domain that was first identified in patatin, a major soluble protein of potato tubers with nonspecific acyl hydrolase activity. The domain differs from classical lipases by employing a catalytic dyad (Ser-Asp), rather than a catalytic triad, to effect hydrolysis. PNPLA3 is expressed primarily in liver and adipose tissue, in which it partitions to membranes and lipid droplets. Real-time PCR of cDNA from human tissues indicated that PNPLA3 expression was highest in the liver, followed by skin and adipose tissue. PNPLA3 is expressed at the highest levels in adipose tissue of mice. The PNPLA3 protein was expected at 50-70 kDa, as observed; the additional band at approximately 130-150 kDa is a oligomer bands. (PMID: 20385813, PMID: 24931521, PMID: 23023705)

Notable Publications

| Author | Pubmed ID | Journal | Application |
|-------------|-----------|----------------------|-------------|
| Jiesi Xu | 36346641 | Diabetes | WB |
| Qiaoli Chen | 28696211 | Diabetes | WB |
| Pan Li | 35429444 | Arch Biochem Biophys | WB |

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



LO2 cells were subjected to SDS PAGE followed by western blot with 11442-1-AP (PNPLA3 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 11442-1-AP (PNPLA3 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).