For Research Use Only

## SAFB2 Polyclonal antibody

Catalog Number:11642-1-AP

1 Publications





<b>Basic Information</b>	Catalog Number: 11642-1-AP	GenBank Accession Number: BC025279		Purification Method: Antigen affinity purification
	Size:	9667 WB UNIPROTID: IHC		Recommended Dilutions: WB 1:5000-1:50000 IHC 1:20-1:200 IF/ICC 1:200-1:800
	650 μg/ml Source: Rabbit			
	Isotype: IgG			
	Immunogen Catalog Number:Calculated MW:AG2230528aa,57 kDa; 953aa,107			Da
		Observed MW: 130 kDa		
Applications	Tested Applications:		Positive Controls:	
	WB, IHC, IF/ICC, ELISA Cited Applications:		WB : MCF-7 cells, BxPC-3 cells, HeLa cells, rat pancreas tissue	
	WB, IF	, IF IHC : hum		an breast cancer tissue,
	Species Specificity: human, rat	IF/ICC : U2OS cells,		
	Cited Species: mouse			
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			
Background Information	SAFB2, also named as Scaffold attachment factor B2 or KIAA0138, is a 953 amino acid protein, which contains one SAP domain and one RRM (RNA recognition motif) domain. SAFB2 expressed at high levels in the CNS and at low levels in the liver. It also is expressed in a wide number of breast cancer cell lines. SAFB2 binds to scaffold/matrix attachment region (S/MAR) DNA and can function as an estrogen receptor corepressor and can also inhibit cell proliferation.			
Notable Publications	Author	Pubmed ID Journal		Application
	Bo Zheng	24339256	Proteomics	WB,IF
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide ar Aliquoting is unnecessary for -20	d 50% glycerol p	H 7.3.	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





MCF-7 cells were subjected to SDS PAGE followed by western blot with 11642-1-AP (SAFB2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human breast cancer using 11642-1-AP (SAFB2 antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of (4% PFA) fixed U2OS cells using SAFB2 antibody (11642-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).