For Research Use Only

## SGK3 Polyclonal antibody

Catalog Number:12699-1-AP

Featured Product







Basic Information	Catalog Number: 12699-1-AP	GenBank Acc BC015326	ession Number:	Purification Method: Antigen affinity purification		
	Size: GeneID (NCBI):   260 μg/ml 23678		BI):	Recommended Dilutions:		
			WB 1:500-1:2000			
	Source: Rabbit	UNIPROT ID: Q53EW6		IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate		
	Isotype:	Full Name: serum/glucocorticoid regulated kinase family, member 3 Calculated MW: 496 aa, 57 kDa		IHC 1:20-1:200 IF 1:10-1:100		
	IgG Immunogen Catalog Number: AG3149					
					Observed MV 57 kDa	N:
		Applications	Tested Applications: Positive Co		ntrols:	
				VB : HeLa cells, A375 cells, human liver tissue, mouse kin tissue, rat kidney tissue P : mouse heart tissue, HC : human pancreas cancer tissue, human cervical rancer tissue		
WB IF IHC						
Species Specificity:						
numan, mouse, rat						
Cited Species: IF : A375 cel rat, mouse			lls,			
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0						
Background Information	Serum- and glucocorticoid-inducible kinase 3 (SGK3) is a protein kinase of the AGC family of protein kinase A, protein kinase G, and protein kinase C and functions downstream of phosphatidylinositol 3-kinase (PI3K) (PMID:21084382). It is also named as DKFZp781N0293, CISK, SGK2, SGKL and may be involved in the regulation of processes such as cell survival, neuronal excitability, and renal sodium excretion. SGK3 mediates cell IL-3-dependent survival signals (PMID:12397388). SGK3 has 2 isoforms produced by alternative splicing with the molecular weight of 57 kDa and 53 kDa.					
Notable Publications	Author	Pubmed ID	Journal	Application		
	Seonghee Jung	31234698	Autophagy	WB		
	Huapan Shu	37361201	Front Pharmacol	WB,IHC,IF		
	Kang Guo	33692998	Front Cell Dev Biol	IF		
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide ar Aliquoting is unnecessary for -20	nd 50% glycerol pH	17.3.			

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data





HeLa cells were subjected to SDS PAGE followed by western blot with 12699-1-AP (SGK3 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.

Immunohistochemical analysis of paraffinembedded human pancreas cancer using 12699-1-AP (SGK3 antibody) at dilution of 1:100 (under 10x lens). IP result of anti-SGK3 (IP:12699-1-AP, 4ug; Detection:12699-1-AP 1:500) with mouse heart tissue lysate 3200ug.



Immunofluorescent analysis of A375 cells using 12699-1-AP (SGK3 antibody) at dilution of 1:25 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).