For Research Use Only

## ITPKB Polyclonal antibody

Catalog Number:12816-1-AP

Featured Product






Basic Information	Catalog Number: 12816-1-AP	GenBank Accession N BC015009	lumber:	Purification Method: Antigen affinity purification	
	Size:	GenelD (NCBI):		Recommended Dilutions:	
	700 µg/ml	3707		WB 1:500-1:1000 IHC 1:20-1:200	
	Source: Rabbit	UNIPROT ID: P27987		IIIC 1.20-1.200	
	Isotype:				
	lgG inositol 1,4,5-trisphosphate 3-kinase			2	
	Immunogen Catalog Number:	В			
	AG3456	Calculated MW: 946 aa, 102 kDa			
Applications	Tested Applications:		Positive Controls:		
	IHC, WB,ELISA Cited Applications: WB, IF, IHC	ited Applications: tissue, mou		rain tissue, K-562 cells, mouse lung e thymus tissue, rat brain tissue	
	Species Specificity: human, mouse, rat		IHC : human cervical cancer tissue, human lung tissu mouse brain tissue		
	Cited Species: human, mouse				
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	Inositol 1,4,5-trisphosphate 3-kinase isoform B (IITPKB) is also named as IP3KB and possesses important roles in the development of immune cells. IP3KB can be targeted to multiple cellular compartments, among them nuclear localization and binding in close proximity to the plasma membrane. The B isoform is the only IP3K that is almost ubiquitously expressed in mammalian cells(PMID:21148483).Three isoforms of IP3KB occur in mammals, which are distinguished by different molecular masses, sensitivity to Ca2+/CaM(calmodulin), intracellular distribution and tissue expression (PMID:16173920). ITPKB can be cleaved into many fragments, this antibody can recognize the N-terminal peptide fragment.(PMID:15130091)				
Notable Publications	Author	Pubmed ID Jou	mal	Application	
	Xiulei Mo	35512704 Cell		WB	
	Laura Marongiu		Signal	IHC, WB	
	Abduarahman Almutairi		lergy Clin Imm	unol WB	
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide an Aliquoting is unnecessary for -20	d 50% glycerol pH 7.3.			


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 12816-1-AP (ITPKB antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 12816-1-AP (ITPKB antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



mouse brain tissue were subjected to SDS PAGE followed by western blot with 12816-1-AP (ITPKB antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human cervical cancer tissue slide using 12816-1-AP (ITPKB Antibody) at dilution of 1:50 (under 40x lens).