For Research Use Only

RBM6 Polyclonal antibody

Catalog Number: 14360-1-AP

1 Publications



Basic Information

Catalog Number: GenBank Accession Number: 14360-1-AP BC046643
Size: GeneID (NCBI): 700 µg/ml 10180
Source: UNIPROT ID:

Rabbit P78332 Isotype: Full Name:

gG RNA binding motif protein 6

Immunogen Catalog Number:Calculated MW:AG5743129 kDaObserved MW:

129 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:20-1:200 IF/ICC 1:50-1:500

Applications

Tested Applications: WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

IHC

Species Specificity: human, mouse, rat Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HepG2 cells, mouse spleen tissue

IP: HeLa cells,

IHC: human pancreas cancer tissue,

IF/ICC : HeLa cells,

Background Information

RBM6, also named as DEF3, is a 1123 amino acid protein, which may interact with FAM168B. RBM6 is expressed ubiquitously in adults tissues. RBM6 specifically binds poly(G) RNA homopolymers in vitro. RBM6 exists some isoforms with MV 129 kDa, 69 kDa, and 59 kDa. onversely, fetal thymus and adult kidney express very little RBM6. In the hemopoietic system of mice, the expression of RBM6 is downregulated upon differentiation of progenitor cells into granulocytes but persists during macrophage development.

Notable Publications

Author	Pubmed ID	Journal	Application
Baojun Duan	31207145	Proteomics Clin Appl	IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




HepG2 cells were subjected to SDS PAGE followed by western blot with 14360-1-AP (RBM6 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human pancreas cancer using 14360-1-AP (RBM6 antibody) at dilution of 1:100 (under 40x lens)



IP result of anti-RBM6 (IP:14360-1-AP, 4ug; Detection:14360-1-AP 1:500) with HeLa cells lysate 2000ug.



Immunofluorescent analysis of (10% Formaldehyde) fixed HeLa cells using 14360-1-AP (RBM6 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).