For Research Use Only

B7-H3/CD276 Polyclonal antibody

Catalog Number: 14453-1-AP

Featured Product

12 Publications



Basic Information

Applications

Catalog Number: 14453-1-AP Size: 350 μg/ml

Source: Rabbit Isotype: Immunogen Catalog Number:

AG6006

GenBank Accession Number: BC062581 GeneID (NCBI): 80381 **UNIPROT ID:** Q5ZPR3 Full Name: CD276 molecule Calculated MW:

Observed MW: 100 kDa

57 kDa

Tested Applications:

WB, IHC, ELISA Cited Applications: WB, IF, IHC Species Specificity:

human **Cited Species:** human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Antigen affinity purification Recommended Dilutions:

WB 1:1000-1:8000 IHC 1:200-1:800

Purification Method:

Positive Controls:

WB: HEK-293 cells, LNCaP cells, U2OS cells

IHC: human prostate cancer tissue, human testis tissue, human medulloblastoma tissue, human tonsillitis tissue

Background Information

B7-H3 (CD276) is a type I transmembrane protein expressed on many tissues and cell types. B7-H3 is a 100-kDa glycoprotein that belongs to the B7 immunoregulatory family and participates in the regulation of T-cell-mediated immune response probably by functioning as both a T cell costimulator and coinhibitor (PMID: 25567370; 20696859). Overexpressed on a wide range of human solid cancers, B7-H3 has been implicated in cancer progression and metastasis and becomes an attractive target for cancer immunotherapy (PMID: 27208063).

Notable Publications

Author	Pubmed ID	Journal	Application
Lipeng Tang	30607907	J Cell Physiol	WB
Zhangao Li	31737114	J Cancer	IHC
Qi Zhang	36435292	J Nutr Biochem	WB

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




WB result of B7-H3/CD276 antibody (14453-1-AP; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-B7-H3/CD276 transfected HEK-293 cells.



Various lysates were subjected to SDS PAGE followed by western blot with 14453-1-AP (B7-H3/CD276 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 14453-1-AP (B7-H3/CD276 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 14453-1-AP (B7-H3/CD276 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).