

For Research Use Only

# KCTD14 Polyclonal antibody

Catalog Number:14806-1-AP



## Basic Information

<b>Catalog Number:</b> 14806-1-AP	<b>GenBank Accession Number:</b> BC001062	<b>Purification Method:</b> Antigen affinity purification
<b>Size:</b> 600 ug/ml	<b>GeneID (NCBI):</b> 65987	<b>Recommended Dilutions:</b> WB 1:500-1:2000 IHC 1:100-1:500
<b>Source:</b> Rabbit	<b>UNIPROT ID:</b> Q9BQ13	
<b>Isotype:</b> IgG	<b>Full Name:</b> potassium channel tetramerisation domain containing 14	
<b>Immunogen Catalog Number:</b> AG6528	<b>Calculated MW:</b> 30 kDa	
	<b>Observed MW:</b> 30 kDa	

## Applications

### Tested Applications:

WB, IHC, ELISA

### Species Specificity:

human

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

### Positive Controls:

WB : HepG2 cells,

IHC : human intrahepatic cholangiocarcinoma tissue, human ovary cancer tissue

## Background Information

### Storage

#### Storage:

Store at -20°C. Stable for one year after shipment.

#### Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


## Selected Validation Data



HepG2 cells were subjected to SDS PAGE followed by western blot with 14806-1-AP (KCTD14 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human intrahepatic cholangiocarcinoma tissue slide using 14806-1-AP (KCTD14 antibody) at dilution of 1:100 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human ovary cancer tissue slide using 14806-1-AP (KCTD14 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).