For Research Use Only

OBFC2B Polyclonal antibody

Catalog Number:14809-1-AP

Featured Product

3 Publications




Basic Information	Catalog Number: 14809-1-AP	GenBank Accession Number: BC001079	Purification Method: Antigen affinity purification
	Size:	GeneID (NCBI):	Recommended Dilutions:
	500 µ g/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG6532	79035 UNIPROT ID:	WB 1:2000-1:12000 IP 0.5-4.0 ug for 1.0-3.0 mg of total
		Q9BQ15	protein lysate IHC 1:20-1:200
		Full Name: oligonucleotide/oligosaccha binding fold containing 2B	IF/ICC 1:10-1:100
		Calculated MW: 22 kDa	
		Observed MW: 30-33 kDa	
Applications	Tested Applications: WB, IHC, IF/ICC, IP, ELISA	Positive Controls:	
	Cited Applications:		lepG2 cells, NIH/3T3 cells, HeLa cells
	WB, IHC	IP : HeLa cells, IHC : human ovary tumor tissue, human pancreas	
	Species Specificity: human, mouse, rat	tissue	
	Cited Species: human	IF/ICC : Hela cells,	
	Note-IHC: suggested antige TE buffer pH 9.0; (*) Altern retrieval may be performe buffer pH 6.0	atively, antigen	
Background Information	OBFC2B, also named as NABP2 or SSB1, is a 211 amino acid protein, which belongs to the SOSS-B family. OBFC2 localizes to nuclear foci following DNA damage. OBFC2B is a component of the SOSS complex, a multiprotein complex that functions downstream of the MRN complex to promote DNA repair and G2/M checkpoint. In the SOS complex, OBFC2B acts as a sensor of single-stranded DNA that binds to single-stranded DNA, in particular to polypyrimidines. The calculated molecular weight of OBFC2B is 22 kDa, but modified OBFC2B is about 32 kDa.		
Notable Publications	Author	Pubmed ID Journal	Application
	Anaïs Aulas	30425239 Cell Death Di	
	Jeffrey R Skaar	25675981 Cell Res	WB
	Bowen Li	37113629 J Inflamm Re	s WB,IHC
Storage	Storage: Store at -20°C. Stable for one yea		


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 14809-1-AP (OBFC2B antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of Hela cells, using OBFC2B antibody 14809-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



IP result of anti-OBFC2B (IP:14809-1-AP, 4ug; Detection:14809-1-AP 1:500) with HeLa cells lysate 3200ug.



Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 14809-1-AP (OBFC2B Antibody) at dilution of 1:50 (under 40x lens).