For Research Use Only

ZAK Polyclonal antibody

Catalog Number: 14945-1-AP

Featured Product

8 Publications



Basic Information

Catalog Number:

14945-1-AP

Size:

400 µg/ml

Source:

Rabbit

Q9NYL2

Isotype:

GenBank Accession Number:

BC001401

GeneID (NCBI):

51776

UNIPROT ID:
Q9NYL2

Full Name:

sterile alpha motif and leucine zipper

Immunogen Catalog Number: containing kinase AZK

AG6747 Calculated MW:

91 kDa Observed MW: 52 kDa

Applications

Tested Applications: WB, IF/ICC, IHC, ELISA Cited Applications: WB

Species Specificity: human, mouse, rat Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:**

 $\ensuremath{\mathsf{WB}}$: mouse skeletal muscle tissue, human heart tissue, HepG2 cells, human skeletal muscle tissue

Purification Method:

WB 1:500-1:1500 IHC 1:50-1:500

IF/ICC 1:200-1:800

Antigen affinity purification

Recommended Dilutions:

IHC: human liver cancer tissue, human placenta tissue

IF/ICC: HepG2 cells,

Background Information

ZAK(sterile-alpha motif and leucine zipper containing kinase AZK) is also named as MLTK, MAPKKK, mlklak, MLK7, AZK, MLT, MRK, HCCS-4 and belongs to the MAPKKK family. It is a mitogen-activated protein kinase kinase kinase (MAP3K) that activates the stress-activated protein kinase/c-jun N-terminal kinase pathway and activates NF-kappaB. ZAK contributes to regulation of DNA damage checkpoints through a p38gamma-independent pathway. This protein has 3 isoforms produced by alternative splicing with the MW of 91 kDa, 51 kDa and 35 kDa.

Notable Publications

| Author | Pubmed ID | Journal | Application |
|----------------|-----------|------------|-------------|
| Goda Snieckute | 36384144 | Cell Metab | WB |
| Yan Wang | 33667382 | Immunity | WB |
| Joana Silva | 35918345 | Nat Commun | WB |

Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com

W: ptgcn.co

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




mouse skeletal muscle lysates were subjected to SDS PAGE followed by western blot with 14945-1-AP (ZAK antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 14945-1-AP (ZAK antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 14945-1-AP (ZAK antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using ZAK antibody (14945-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L).