For Research Use Only

THTPA Polyclonal antibody

Catalog Number:15486-1-AP

1 Publications



Basic Information

15486-1-AP Size: 200 μ g/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG7834

Catalog Number:

GenBank Accession Number: BC002984 GeneID (NCBI): 79178 UNIPROT ID: Q9BU02 Full Name: thiamine triphosphatase Calculated MW: 26 kDa Observed MW: 26-35 kDa

Purification Method: Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:1000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:20-1:200 IF/ICC 1:10-1:100

Applications

Tested Applications: WB, IHC, IF/ICC, IP, ELISA Cited Applications: WB

Species Specificity: human, mouse, rat

Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : K-562 cells, A431 cells, HeLa cells, human brain tissue, mouse testis tissue, mouse uterus tissue, PC-3 cells

IP: K-562 cells,

IHC : human stomach cancer tissue,

IF/ICC : HepG2 cells,

Background Information

Notable Publications

ns	Author	Pubmed ID	Journal	Application
	Shuqian Liu	24454921	PLoS One	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data





K-562 cells were subjected to SDS PAGE followed by western blot with 15486-1-AP (THTPA antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human stomach cancer using 15486-1-AP (THTPA antibody) at dilution of 1:50 (under 40x lens). WWW.PTGLAB.COM

Immunofluorescent analysis of HepG2 cells, using THTPA antibody 15486-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



IP result of anti-THTPA (IP:15486-1-AP, 3ug; Detection:15486-1-AP 1:800) with K-562 cells lysate 1720ug.