For Research Use Only

FDXR Polyclonal antibody

Catalog Number: 15584-1-AP

Featured Product

2 Publications

BC063493

GenBank Accession Number:



Basic Information

Catalog Number: 15584-1-AP

 Size:
 GeneID (NCBI):

 700 μ g/ml
 2232

Source: UNIPROT ID: Rabbit P22570
Isotype: Full Name:

IgG ferredoxin reductase
Immunogen Catalog Number: Calculated MW:
AG7145 54 kDa

Observed MW:

Observed MW: 48-58 kDa Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:1000-1:8000 IHC 1:50-1:500

Applications

Tested Applications: WB, IHC, ELISA Cited Applications:

WB

Species Specificity: human, mouse, rat, pig Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: mouse testis tissue, pig adrenal gland tissue, human adrenal gland tissue, rat testis tissue

IHC: human liver cancer tissue,

Background Information

Ferredoxin reductase (FDXR, also known as adrenodoxin reductase) is a mitochondrial membrane-associated flavoprotein. One of its functions is to transfer electrons from NADPH to the two human ferredoxin proteins, FDX1 and FDX2. FDXR is expressed in all tissues with the highest expression in tissues such as the adrenal cortex, that specialize in steroid hormone synthesis. Functionally, FDXR is suggested to be involved in various Functionally, FDXR is suggested to be involved in various. Notably, recent studies have shown that FDXR mutations are associated with mitochondrial disorders, probably due to its role in iron-sulfur cluster protein biosynthesis (PMID: 32304229). FDXR has 7 isoforms with the molecular weight of 48-58 kDa.

Notable Publications

Author	Pubmed ID	Journal	Application
Yiqi Christina Lin	35688208	J Biol Chem	WB
Chaojun Yan	37207154	Front Oncol	WB

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 15584-1-AP (FDXR antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 15584-1-AP (FDXR antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 15584-1-AP (FDXR antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).