For Research Use Only

TRIM14 Polyclonal antibody Catalog Number:15742-1-AP Featured Product 14

Featured Product 14 Publications




Basic Information	Catalog Number: 15742-1-AP	GenBank Accession Number: BC006333		Purification Method: Antigen affinity purification	
	Size:	GenelD (NC	BI):	Recommended Dilutions:	
	740 ug/ml	9830		WB 1:500-1:2000	
	Source:UNIPROTID:RabbitQ14142):)	IHC 1:20-1:200 IF/ICC 1:200-1:800	
	lsotype: IgG	Full Name: tripartite motif-containing 14			
	Immunogen Catalog Number: AG8158				
		Observed M 50 kDa	1₩:		
Applications	Tested Applications:		Positive Controls:		
	WB, IHC, IF/ICC, ELISA		WB : L02 cells, HL-60 cells, HepG2 cells, Jurkat cells		
	Cited Applications: WB, IHC, IF, IP		IHC : human liver tissue,		
	Species Specificity: human		IF/ICC : HeLa cells,		
	Cited Species: human, mouse				
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	Tripartite motif-containing 14(TRIM14) belongs to the TRIM protein family that contains 3 zinc-binding domains, RING, a B-box type1 and a B-box type2 and plays key roles in cellular proliferation, differentiation, development, transformation, and immune response mechanisms. TRIM4 inhibits the transcriptional activity of SPI1 in a dose- dependent manner. It may participate in the early stages of differentiation of embryonic stem cells, leading to th formation of embryoid bodies.				
	Author	Pubmed ID	Journal	Application	
Notable Publications		34656078	Mol Med	WB	
Notable Publications	Hui Cheng	54050070			
Notable Publications		36202175	Life Sci	WB	
Notable Publications	Yu-Yun Kuo		Life Sci Hum Cell	WB WB	


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 15742-1-AP (TRIM14 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.




LO2 cells were subjected to SDS PAGE followed by western blot with 15742-1-AP (TRIM14 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human liver using 15742-1-AP (TRIM14 antibody) at dilution of 1:100 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human liver using 15742-1-AP (TRIM14 antibody) at dilution of 1:100 (under 40x lens).



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using TRIM14 antibody (15742-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).