## For Research Use Only

## LSM3 Polyclonal antibody

Catalog Number: 15879-1-AP



**Purification Method:** 

WB 1:500-1:1000

IHC 1:200-1:800

Antigen affinity purification

Recommended Dilutions:

**Basic Information** 

 Catalog Number:
 GenBank Accession Number:

 15879-1-AP
 BC007055

 Size:
 GeneID (NCBI):

 500 ug/ml
 27258

 Source:
 UNIPROT ID:

 Pablish
 DC0710

Source: UNIPROT I
Rabbit P62310
Isotype: Full Name

IgG LSM3 homolog, U6 small nuclear RNA

Immunogen Catalog Number: associated (S. cerevisiae)

AG8641 Calculated MW:

102 aa, 12 kDa Observed MW: 12 kDa

**Applications** 

Tested Applications: WB, IHC, ELISA

Species Specificity: human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

LSM3, as a U6 snRNA-associated Sm-like protein, plays a role in pre-mRNA splicing as component of the U4/U6-U5 tri-snRNP complex that is involved in spliceosome assembly, and as component of the precatalytic spliceosome (spliceosome B complex)

Positive Controls:

WB: HeLa cells, HepG2 cells

IHC: mouse testis tissue, rat testis tissue

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 15879-1-AP (LSM3 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded rat testis tissue slide using 15879-1-AP (LSM3 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 15879-1-AP (LSM3 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat testis tissue slide using 15879-1-AP (LSM3 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 15879-1-AP (LSM3 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.