## For Research Use Only

## ALG5 Polyclonal antibody

Catalog Number: 16046-1-AP



**Basic Information** 

Catalog Number:

16046-1-AP

Size:

450 µ g/ml

Source:

Rabbit

Q9Y673

Full Name:

Full Name: asparagine-linked glycosylation 5,

dolichyl-phosphate betaglucosyltransferase homolog (S. cerevisiae)

Calculated MW: 324 aa, 37 kDa Observed MW: 37 kDa Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:500-1:1000

IHC 1:50-1:500

IF/ICC 1:20-1:200

**Applications** 

Tested Applications: WB, IHC, IF/ICC, ELISA Species Specificity: human, mouse, rat

Immunogen Catalog Number:

AG8990

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:** 

WB: human kidney tissue, mouse liver tissue IHC: mouse liver tissue, human liver cancer tissue, human placenta tissue

IF/ICC : HEK-293 cells,

**Background Information** 

Dolichyl-phosphate beta-glucosyltransferase(ALG5), belongs to the family of glycosyltransferases, specifically the hexosyltransferases. ALG5 is widely expressed in pancreas, placenta, liver, heart, brain, kidney, skeletal muscle, and lung. ALG5 can catalyze the chemical reaction between UDP-glucose and UDP with dolichyl phosphate.

Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




human kidney tissue were subjected to SDS PAGE followed by western blot with 16046-1-AP (ALG5 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 16046-1-AP (ALG5 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 16046-1-AP (ALG5 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HEK-293 cells using 16046-1-AP (ALG5 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).