

For Research Use Only

Dematin Polyclonal antibody

Catalog Number: 16808-1-AP **2 Publications**



Basic Information

Catalog Number:

16808-1-AP

Size:

550 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG10300

GenBank Accession Number:

BC017445

GeneID (NCBI):

2039

UNIPROT ID:

Q08495

Full Name:

erythrocyte membrane protein band

4.9 (dematin)

Calculated MW:

405 aa, 46 kDa

Observed MW:

48-52 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:200-1:1000

Applications

Tested Applications:

WB, ELISA

Cited Applications:

WB, IF, IHC

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse

Positive Controls:

WB : rat brain tissue, human red blood cells

Background Information

Dematin (band 4.9) is a widely expressed cytoskeletal protein which regulates cell shape and cell migration. It is best known for its role within the red blood cell (RBC), where it has been localized to the spectrin-actin junctions of RBC membrane. Dematin has a 48 kDa subunit containing a headpiece domain and a 52 kDa subunit.

Notable Publications

Author	Pubmed ID	Journal	Application
Yashuang Yang	36385596	Front Med	WB
Mengying Wang	35561787	Exp Cell Res	WB,IHC,IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



human red blood cells were subjected to SDS PAGE followed by western blot with 16808-1-AP (Dematin antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



rat brain tissue were subjected to SDS PAGE followed by western blot with 16808-1-AP (Dematin antibody at dilution of 1:300 incubated at room temperature for 1.5 hours.