For Research Use Only

SPATA22 Polyclonal antibody

Catalog Number: 16989-1-AP

Featured Product

13 Publications



Purification Method:

WB 1:500-1:2000

protein lysate

IHC 1:50-1:500

WB: mouse testis tissue, human testis tissue

Positive Controls:

IP: mouse testis tissue,

IHC: mouse testis tissue,

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number: 16989-1-AP BC029483 GeneID (NCBI): Size: 450 µg/ml 84690 **UNIPROT ID:** Source: Rabbit Q8NHS9 Full Name: Isotype:

spermatogenesis associated 22

Calculated MW: Immunogen Catalog Number: AG10591 363 aa, 41 kDa Observed MW:

41 kDa

Applications

Tested Applications: IHC, IP, WB,ELISA Cited Applications: WB, IHC, IF Species Specificity: human, mouse, rat **Cited Species:** mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Background Information

Spata22 (NYD-SP20), a novel vertebrate-specific gene, is required for meiotic progress in mouse germ cells. It is essential for one or more key events of early meiotic prophase, as homologous chromosomes of mutant germ cells do not achieve normal synapsis or repair meiotic DNA double-strand breaks.

Notable Publications

Author	Pubmed ID	Journal	Application
Qianxing Zou	34825148	iScience	WB
Monica M Franca	35624308	Cell Death Differ	IF
Mengcheng Luo	24240703	Nat Commun	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




mouse testis tissue were subjected to SDS PAGE followed by western blot with 16989-1-AP (SPATA22 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 16989-1-AP (SPATA22 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 16989-1-AP (SPATA22 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-SPATA22 (IP:16989-1-AP, 3ug; Detection:16989-1-AP 1:500) with mouse testis tissue lysate 4800ug.