For Research Use Only

HNRNPL Polyclonal antibody, PBS Only

Catalog Number: 18354-1-PBS Featured Product



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method:

Antigen affinity purification

18354-1-PBS

BC069184 GeneID (NCBI):

Size: 1 mg/ml

GenelD (NCBI)

Source:

UNIPROT ID: P14866

Rabbit Isotype:

Full Name:

IgG

heterogeneous nuclear ribonucleoprotein L

AG13211

Calculated MW: 572 aa. 62 kDa

Observed MW:

70 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, Indirect ELISA

Immunogen Catalog Number:

Species Specificity:

human, mouse

Background Information

Heterogeneous nuclear ribonucleoprotein L (hnRNP L) is a component of the heterogeneous nuclear ribonucleoprotein (hnRNP) complexes which provide the substrate for the processing events that pre-mRNAs undergo before becoming functional, translatable mRNAs in the cytoplasm. It is associated with most nascent transcripts including those of the landmark giant loops of amphibian lampbrush chromosomes. The two isoforms of hnRNP L are generated by alternative splicing. The human hnRNPL gene encodes a protein that is localized in the nucleoplasm and cytoplasm. This antibody may recognize both isoforms of the hnRNP L protein.

Storage

Storage:


Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C $\,$


Storage Buffer:

PBS Only


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 18354-1-AP (HNRNPL antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 18354-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 18354-1-AP (HNRNPL antibody) (right) at dilution of 1:200 compared to a negative control without primary antibody (left) (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 18354-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 18354-1-AP (HNRNPL antibody) (right) at dilution of 1:200 compared to a negative control without primary antibody (left) (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 18354-1-PBS in a different storage buffer formulation.



IP result of anti-HNRNPL (IP:18354-1-AP, 4ug; Detection:18354-1-AP 1:4000) with BxPC-3 cells lysate 2080 ug. This data was developed using the same antibody clone with 18354-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using HNRNPL antibody (18354-1-AP) at dilution of 1:400 and Coralite®594-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-4), CL488-Phalloidin (green). This data was developed using the same antibody clone with 18354-1-PBS in a different storage buffer formulation.