## For Research Use Only

# SP1 Polyclonal antibody

Catalog Number: 21962-1-AP

**Featured Product** 

92 Publications



**Basic Information** 

Catalog Number: 21962-1-AP

Size:

700 μg/ml

Source: Rabbit Isotype:

Immunogen Catalog Number:

AG16720

GenBank Accession Number:

BC062539 GeneID (NCBI): 6667

ENSEMBL Gene ID: ENSG00000185591

UNIPROT ID: P08047

Full Name:

Sp1 transcription factor

Calculated MW: 785 aa, 81 kDa Observed MW: 95-106 kDa

**Purification Method:** 

Antigen affinity purification

Recommended Dilutions: WB 1:2000-1:16000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500 IF 1:20-1:200

# **Applications**

**Tested Applications:** 

IF/ICC, IHC, IP, WB, ELISA

**Cited Applications:** 

 $\mathsf{chIP}, \mathsf{CoIP}, \mathsf{IF}, \mathsf{IHC}, \mathsf{IP}, \mathsf{WB}$ Species Specificity:

human, mouse, rat, monkey

**Cited Species:** 

human, rat, mouse, monkey, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### Positive Controls:

WB: Jurkat cells, A431 cells, HEK-293 cells, HeLa cells, K-562 cells

IP: A431 cells,

IHC: human lung cancer tissue, human colon tissue,

human stomach cancer tissue

IF: HeLa cells,

# **Background Information**

The transcription factor Sp1 is a C2H2 zinc-finger protein that is involved in the regulation of a wide variety of genes, including housekeeping genes and tumor-developing genes. It is associated with tumor development, growth, and metastasis [PMID: 16209919]. It regulates the expression of a large number of genes involved in a variety of processes such as cell growth, apoptosis, differentiation and immune responses. Besides, it has a role in modulating the cellular response to DNA damage, recruiting SMARCA4/BRG1 on the c-FOS promoter, regulation of FE65 gene expression [PMID:11371615,16332679]. SP1 is detected with MW 95-105 kDa and 65 kDa in this paper(PMID: 10618488).

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Yongchun Yu	36183674	Transl Oncol	WB,ChIP
Faisal Aziz	26427350	Toxicol In Vitro	WB, IHC
Liping Wang	34559939	IUBMB Life	WB

# Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


# **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 21962-1-AP (SP1 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




IP result of anti-SP1 (IP:21962-1-AP, 6ug; Detection:21962-1-AP 1:500) with A431 cells lysate 2500ug.




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 21962-1-AP (SP1 Antibody) at dilution of 1:200 (under 40x lens).



Immunofluorescent analysis of HeLa cells using 21962-1-AP (SP1 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Various lysates were subjected to SDS PAGE followed by western blot with 21962-1-AP (SP1 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



WB result of SP1 antibody (21962-1-AP; 1:12000; incubated at room temperature for 1.5 hours) with sh-Control and sh-SP1 transfected HeLa cells.