For Research Use Only

KCNN4 Polyclonal antibody

Catalog Number:23271-1-AP

Featured Product

9 Publications




Basic Information	Catalog Number: 23271-1-AP	GenBank Accession Number: BC015337	Purification Method: Antigen Affinity purified	
	Size:	GenelD (NCBI):	Recommended Dilutions:	
	700 µg/ml Source: Rabbit	3783 UNIPROT ID: 015554	WB 1:1000-1:8000 IF 1:200-1:800	
				Isotype:
	lgG	potassium intermediate/small conductance calcium-activated channel, subfamily N, member 4 Calculated MW: 427 aa, 48 kDa		
	Immunogen Catalog Number: AG19774			
	1.41,774			
		Observed MW: 48 kDa		
	Applications	Tested Applications: IF/ICC, WB, ELISA		Positive Controls: WB : A431 cells, HepG2 cells, HEK-293 cells IF : HEK-293 cells,
Cited Applications:				
WB, IF, FC, IHC		IF : HEK-29		
Species Specificity: human				
Cited Species: human, mouse, canine				
	naman, mouse, canne			
Background Information	The intermediate conductance ca member of the potassium channe erythrocytes, vascular smooth mu (PMID: 19681865; 21493782). Fur	l KCNN family. KCNN4 is expressed in uscle cells, airway smooth muscle cells	, intestinal and airway epithelial cells lcium-dependent cell functions, such as	
	The intermediate conductance ca member of the potassium channe erythrocytes, vascular smooth mu (PMID: 19681865; 21493782). Fur	l KCNN family. KCNN4 is expressed in uscle cells, airway smooth muscle cells uctionally, KCNN4 plays a key role in ca	T cells, mast cells, macrophages, , intestinal and airway epithelial cells lcium-dependent cell functions, such as	
	The intermediate conductance ca member of the potassium channe erythrocytes, vascular smooth mu (PMID: 19681865; 21493782). Fur proliferation, activation, and mig	I KCNN family. KCNN4 is expressed in scle cells, airway smooth muscle cells ctionally, KCNN4 plays a key role in ca ration, in a broad range of cell types (P	T cells, mast cells, macrophages, , intestinal and airway epithelial cells lcium-dependent cell functions, such as MID: 21493782). Application	
Background Information	The intermediate conductance ca member of the potassium channe erythrocytes, vascular smooth mu (PMID: 19681865; 21493782). Fur proliferation, activation, and mig Author	el KCNN family. KCNN4 is expressed in uscle cells, airway smooth muscle cells ictionally, KCNN4 plays a key role in ca ration, in a broad range of cell types (P Pubmed ID Journal	T cells, mast cells, macrophages, , intestinal and airway epithelial cells lcium-dependent cell functions, such as MID: 21493782). Application	


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data





WB result of KCNN4 antibody (23271-1-AP, 1:4000) with si-control and si-KCNN4 transfected HEK293 cells.

Various lysates were subjected to SDS PAGE followed by western blot with 23271-1-AP (KCNN4 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed HEK-293 cells using KCNN4 antibody (23271-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).