For Research Use Only MATN3 Polyclonal antibody Catalog Number:25500-1-AP





| Basic Information | Catalog Number: 25500-1-AP | GenBank Accession Number: BC 139907 | Purification Method: Antigen affinity purification | | |
|--|---|---|---|--|--|
| | Size: 500 ug/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG21932 | GeneID (NCBI): 4148 UNIPROT ID: 015232 Full Name: matrilin 3 | Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500 | | |
| | | | | Calculated MW: 486 aa, 53 kDa | |
| | | | | Observed MW: 53 kDa | |
| | | Applications | | Tested Applications: WB, IHC, ELISA | |
| | | | Species Specificity: human | WB : human milk, IHC : human stomach cancer tissue, | |
| Note-IHC: suggested antige TE buffer pH 9.0; (*) Alterno retrieval may be performed buffer pH 6.0 | ntively, antigen | | | | |
| Background Information | Matrilin-3 is a protein that in humans is encoded by the MATN3 gene. It is linked to the development of many types of cartilage, and part of the Matrilin family, which includes Matrilin-1, Matrilin-2, Matrilin-3, and Matrilin-4, a family of filamentous-forming adapter oligomeric extracellular proteins that are linked to the formation of cartilage and bone, as well as maintaining homeostasis after development. It is considered an extracellular matrix protein that functions as an adapter protein where the Matrilin-3 subunit can form both homo-tetramers and hetero-oligomers with subunits from Matrilin-1 which is the cartilage matrix protein. This restricted tissue has been strongly expressed in growing skeletal tissue as well as cartilage and bone. (PMID:26499313, 27104523, 11950247) | | | | |
| Storage | Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20° | 50% glycerol pH 7.3. | | | |

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptg W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 25500-1-AP (MATN3 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Various lysates were subjected to SDS PAGE followed by western blot with 25500-1-AP (MATN3 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.