For Research Use Only

API5 Polyclonal antibody

Catalog Number: 25689-1-AP

3 Publications



Basic Information

Catalog Number:

25689-1-AP

Size:

450 µg/ml

Source:

Rabbit

GenBank Accession Number:

BC017709

GeneID (NCBI):

8539

Surce:

UNIPROT ID:

Rabbit

Q9BZZ5

Isotype:

Full Name:

IgG apoptosis inhibitor 5
Immunogen Catalog Number: Calculated MW:
AG22524 58 kDa

Observed MW: 50-55 kDa Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:1000-1:6000

IHC 1:50-1:500 IF 1:200-1:800

Applications

Tested Applications: IF/ICC, IHC, WB, ELISA Cited Applications: WB, IHC

Species Specificity: human, mouse Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:**

WB: HEK-293T cells, MCF-7 cells, NIH/3T3 cells, HepG2

cells, HeLa cells

IHC: human lung tissue,
IF: HepG2 cells,

Background Information

The human gene API5 encodes the protein Apoptosis inhibitor 5. This gene encodes an apoptosis inhibitory protein whose expression prevents apoptosis after growth factor deprivation. This protein suppresses the transcription factor E2F1-induced apoptosis and also interacts with, and negatively regulates acinus, a nuclear factor involved in apoptotic DNA fragmentation. Its depletion enhances the cytotoxic action of chemotherapeutic drugs. Diseases associated with API5 include colon adenocarcinoma, and cervical cancer.

Notable Publications

Author	Pubmed ID	Journal	Application
Qiang Li	30675235	Oncol Lett	WB
Shuang Zhang	28710039	Gene	WB
Arpad Palfi	27527066	Sci Rep	IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 25689-1-AP (API5 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using API5 antibody (25689-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).



Immunohistochemical analysis of paraffinembedded human lung tissue slide using 25689-1-AP (API5 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).