For Research Use Only

GDPD5 Polyclonal antibody

Catalog Number: 25703-1-AP

1 Publications



Basic Information

Catalog Number: 25703-1-AP Size: 450 µg/ml

Source: Rabbit Isotype:

Immunogen Catalog Number:

AG22530

GenBank Accession Number:

BC018771 GeneID (NCBI): 81544 UNIPROT ID: Q8WTR4 Full Name:

glycerophosphodiester phosphodiesterase domain

Calculated MW: 605 aa, 69 kDa Observed MW: 51 kDa

containing 5

Purification Method:

Antigen affinity purification Recommended Dilutions: WB 1:200-1:1000 IHC 1:500-1:2000

Applications

Tested Applications: IHC, WB,ELISA Cited Applications:

WB

Species Specificity:

human Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: K-562 cells, COLO 320 cells IHC: human placenta tissue,

Background Information

GDPD5(Glycerophosphodiester phosphodiesterase domain-containing protein 5) is also named as GDE2 and belongs to the glycerophosphoryl diester phosphodiesterase family. The deduced sequence of GDE2 contains 607 amino acids with seven putative transmembrane regions. GDPD5 is a glycerophosphocholine phosphodiesterase that osmotically regulates the osmoprotective organic osmolyte GPC(PMID:18667693). It has 5 isoforms produced by alternative splicing.

Notable Publications

Author	Pubmed ID	Journal	Application
JingFeng Li	37390992	J Biol Chem	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 25703-1-AP (GDPD5 antibody) at dilution of 1:1000 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 25703-1-AP (GDPD5 antibody) at dilution of 1:1000 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



K-562 cells were subjected to SDS PAGE followed by western blot with 25703-1-AP (GDPD5 Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.