For Research Use Only

TACSTD2/TROP2 Polyclonal antibody, PBS Only

www.ptglab.com

Catalog Number: 27360-1-PBS

Basic Information

Catalog Number:

GenBank Accession Number: BC009409

Purification Method: Antigen affinity purification

27360-1-PBS

Size:

GeneID (NCBI): 4070

1 mg/ml Source:

UNIPROT ID: P09758 Full Name:

Isotype:

Rabbit

tumor-associated calcium signal

Immunogen Catalog Number: AG25769

transducer 2 Calculated MW:

36 kDa Observed MW:

45-55 kDa

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA

Species Specificity:

Background Information

Trophoblast cell surface antigen 2 (TROP2), also named as TACSTD2, is a transmembrane glycoprotein. TROP2 plays a role in transducing intracellular calcium signals. It is expressed in trophoblast cells, cornea and multi-stratified epithelia. TROP2 is overexpressed in most carcinomas and is involved in cancer proliferation, migration, invasion, and metastasis. Congenital mutations of TROP2 cause a rare autosomal recessive disease which may lead to blindness-the gelatinous drop-like corneal disease (PMID: 35688908).

Storage

Storage:


Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C


Storage Buffer:

PBS Only


Selected Validation Data




HaCaT cells were subjected to SDS PAGE followed by western blot with 27360-1-AP (TACSTD2 antibody) at dilution of 1:1200 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 27360-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 27360-1-AP (TACSTD2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 27360-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 27360-1-AP (TACSTD2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 27360-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Methanol) fixed HaCaT cells using TACSTD2/TROP2 antibody (27360-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L). This data was developed using the same antibody clone with 27360-1-PBS in a different storage buffer formulation.