## For Research Use Only

## MDMX Polyclonal antibody

Catalog Number: 28747-1-AP



**Basic Information** 

Catalog Number: 28747-1-AP

GenBank Accession Number: BC067299

Mdm4 p53 binding protein homolog

**Purification Method:** Antigen affinity purification Recommended Dilutions:

Size: 1000 µg/ml GeneID (NCBI): 4194 **UNIPROT ID:** 

015151

Full Name:

WB 1:2000-1:12000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

Source: Rabbit Isotype:

protein lysate IHC 1:50-1:500

(mouse) Immunogen Catalog Number:

AG30456 Calculated MW:

490 aa. 55 kDa Observed MW: 70-76 kDa

**Applications** 

**Tested Applications:** WB, IP, IHC, ELISA

Species Specificity:

Positive Controls:

WB: A2780 cells, MCF-7 cells, MDA-MB-231 cells,

U2OS cells IP: MCF-7 cells,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

IHC: human ovary tumor tissue, human breast cancer

## **Background Information**

 $MDM4\ is\ also\ named\ as\ MDMX.\ It\ inhibits\ the\ activity\ of\ the\ tumor\ suppressor\ p53\ by\ primarily\ cooperating\ with\ the\ primarily\ primar$ p53 feedback regulator MDM2. MDM4 resides mostly in the cytoplasm, but can be recruited to the nucleus by MDM2. (PMID:16511572). The predicted mass of the protein is 54 kDa, while the observed mass is 70-80 kDa, a difference which stated is probably due to phosphorylation or other posttranslational modification(PMID:9226370, 28097652). It can be ubiquitinated and degraded by MDM2(PMID:16163388). It has 5 isoforms produced by alternative splicing.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 28747-1-AP (MDMX antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 28747-1-AP (MDM4 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-MDMX (IP:28747-1-AP, 4ug; Detection:28747-1-AP 1:3000) with MCF-7 cells lysate 1470 ug.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 28747-1-AP (MDM4 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 28747-1-AP (MDMX antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).