## For Research Use Only

## PAFAH Polyclonal antibody

Catalog Number: 29304-1-AP



**Basic Information** 

Catalog Number: GenBank Accession Number: 29304-1-AP BC038452 GeneID (NCBI): Size: 400 μg/ml 7941 **UNIPROT ID:** Source: Rabbit Q13093

Full Name: Isotype:

Immunogen Catalog Number:

AG30947

phospholipase A2, group VII (plateletactivating factor acetylhydrolase, plasma)

Calculated MW: 50 kDa Observed MW: 29-30 kDa, 45-55 kDa

**Applications** 

**Tested Applications:** IHC, WB, ELISA Species Specificity: Human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

WB: RAW 264.7 cells, mouse liver tissue, rat liver

**Purification Method:** 

WB 1:1000-1:4000 IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

IHC: human prostate cancer tissue,

## **Background Information**

Platelet-activating factor acetylhydrolase (PAFAH) Ib consists of homo- or heterodimers of two PLA2 subunits a 1 and a 2, and a dimer of a third subunit, LIS1. PAFAH Ib was first discovered by its ability to hydrolyze the extracellular signaling lipid, PAF, which plays a role in platelet activation and inflammation. LIS1, the causative agent of the fatal brain disorder Miller-Dieker lissencephaly, functions independently of the  $\,^{\mathrm{d}}$  subunits to regulate the activity of cytoplasmic dynein. LIS1 is a highly conserved protein involved in dynein-mediated processes including nuclear and neuronal migration, centrosomal function, and mitotic spindle orientation. (PMID: 20624900, PMID: 23262398)

Storage


Storage:

Store at -20°C. Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 29304-1-AP (PAFAH antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 29304-1-AP (PAFAH antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).