For Research Use Only

LAMB2 Polyclonal antibody

Catalog Number: 30943-1-AP



Basic Information

Catalog Number: GenBank Accession Number:

 30943-1-AP
 NM_002292.3

 Size:
 GeneID (NCBI):

 350 ug/ml
 3913

 Source:
 UNIPROT ID:

Rabbit P55268
Isotype: Full Name:

IgG laminin, beta 2 (laminin S)

Immunogen Catalog Number: Calculated MW: AG33468 196 kDa

Observed MW: 195-200 kDa Purification Method: Antigen affinity Purification Recommended Dilutions: WB 1:2000-1:12000 IHC 1:750-1:3000

Applications

Tested Applications: WB, IHC, ELISA Species Specificity:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

human, mouse

Positive Controls:

WB: HEK-293 cells, mouse heart tissue, mouse kidney

tissue

IHC: human stomach cancer tissue,

Background Information

LAMB2 (laminin subunit beta 2), also known as LAMS. Laminins, a family of extracellular matrix glycoproteins, are the major noncollagenous constituent of basement membranes. They have been implicated in a wide variety of biological processes including cell adhesion, differentiation, migration, signaling, neurite outgrowth and metastasis. Laminins, composed of 3 non identical chains: laminin alpha, beta and gamma (formerly A, B1, and B2, respectively), form a cruciform structure consisting of 3 short arms, each formed by a different chain, and a long arm composed of all 3 chains. This gene encodes the beta chain isoform laminin, beta 2. It is enriched in the basement membrane of muscles at the neuromuscular junctions, kidney glomerulus and vascular smooth muscle. Transgenic mice in which the beta 2 chain gene was inactivated by homologous recombination, showed defects in the maturation of neuromuscular junctions and impairment of glomerular filtration. The calculated molecular weight of LAMB2 is 200 kDa.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 30943-1-AP (LAMB2 antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 30943-1-AP (LAMB2 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 30943-1-AP (LAMB2 antibody) at dilution of 1:1500 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).