For Research Use Only

Phospho-INSR (Tyr1150/1151)/IGF1R (Tyr1135/1136) Polyclonal antibody




Catalog Number:31133-1-AP				
Basic Information	Catalog Number: 31133-1-AP	GenBank Accession Num BC117172		Purification Method: Antigen affinity purification
	Size: 550 µg/ml	GeneID (NCBI): 3643		Recommended Dilutions: WB 1:1000-1:4000
	Source: Rabbit	UNIPROT ID: P06213		
	lsotype: IgG	Full Name: INSR		
		Observed MW: 95 kDa		
Applications	Tested Applications: WB, ELISA Species Specificity: Human	Po	Positive Controls:	
		W	WB : IGF-1 treated HEK-293T cells,	
Background Information	Insulin plays a crucial role in brain functions such as memory improvement and energy metabolism. The INSR shares a high structural homology with the IGF1R (84% similarity in the tyrosine kinase domain, 45-65% in the ligand-binding domain, and more than 50% in the overall amino acid sequence). In addition, ligand-dependent activation of the INSR and IGF1R activates almost identical downstream signaling cascades. This antibody recognizes the phosphorylation of tyrosine 1150 and 1151 of INSR, as well as the phosphorylation of tyrosine 1135 and 1136 of IGF1R. ((PMID:24434591))			
Storage	Storage: Store at -20°C. Stable for one year a Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°C	50% glycerol pH 7.3.		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Non-treated and IGF-1 treated HEK-293T cells were subjected to SDS PAGE followed by western blot with 31133-1-AP (Phospho-INSR (Tyr1150/1151)/IGF1R (Tyr1135/1136) antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with GAPDH antibody as loading control.