## For Research Use Only

## P62,SQSTM1 Polyclonal antibody

Catalog Number: 31403-1-AP



**Basic Information** 

Catalog Number: 31403-1-AP Size:

450 µg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG35064

GenBank Accession Number:

NM\_011018 GeneID (NCBI): 18412 **UNIPROT ID:** Q64337

sequestosome 1 Calculated MW: 48 kDa

Full Name:

Observed MW: 62 kDa

**Purification Method:** 

Antigen affinity Purification Recommended Dilutions:

WB 1:1000-1:6000 IF 1:200-1:800

**Applications** 

**Tested Applications:** WB, IF/ICC, ELISA Species Specificity:

Mouse, human

Positive Controls:

WB: NIH/3T3 cells, RAW 264.7 cells IF: Chloroquine treated HepG2 cells,

## **Background Information**

Sequestosome 1 (SQSTM1/p62) is a multifunctional adaptor protein implicated in selective autophagy, cell signaling pathways, and tumorigenesis. p62 has been implicated in shuttling ubiquitinated and aggregated proteins for autophagic degradation. p62 is degraded during the autophagic process, which makes its intracellular level a marker for autophagy progression. p62 is at the cross-roads of several signaling pathways including Ras/ Raf/ MAPK and NF k B and plays important role in cancer.


Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 31403-1-AP (P62,SQSTM1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed Chloroquine treated HepG2 cells using P62,SQSTM1 antibody (31403-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).