For Research Use Only

GDA Polyclonal antibody

Catalog Number:31493-1-AP




Basic Information	Catalog Number: 31493-1-AP	GenBank Accession Number: BC053584	Purification Method: Antigen affinity Purification	
	Size: 700 µg/ml	GenelD (NCBI): 9615	Recommended Dilutions: WB 1:2000-1:16000	
	Source: Rabbit	UNIPROT ID: Q9Y2T3		
	Isotype: IgG Immunogen Catalog Number: AG35661	Full Name: guanine deaminase Observed MW: 48-53 kDa		
				Applications
	GDA (guanine deaminase), also k	GDA (guanine deaminase), also known as KIAA1258. The protein is enriched in the brain, intestine, kidney and liver. Cytoplasmic expression in the small intestine, hepatocytes, pancreatic islet cells and kidney tubules. This gene encodes an enzyme responsible for the hydrolytic deamination of guanine. Studies in rat ortholog suggest this gene plays a role in microtubule assembly. The molecular weight of GDA is 51 kDa, and it can recognize other isoforms.		
Background Informatio	gene encodes an enzyme respons gene plays a role in microtubule a	ible for the hydrolytic deamination of	eatic islet cells and kidney tubules. This guanine. Studies in rat ortholog suggest this	

 For technical support and original validation data for this product please contact:

 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 31493-1-AP (GDA antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.