For Research Use Only

CD134/OX40 Polyclonal antibody

Catalog Number:31805-1-AP





Basic Information	Catalog Number: 31805-1-AP	GenBank Accession Number: NM_003327	Purification Method: Antigen affinity Purification				
	Size:	GeneID (NCBI):	Recommended Dilutions:				
	450 ug/ml	7293	WB 1:500-1:2000				
	Source: Rabbit	UNIPROT ID: P43489	IHC 1:50-1:500				
	Isotype: IgG	Full Name: tumor necrosis factor receptor superfamily, member 4 Calculated MW: 29 kDa Observed MW: 50 kDa					
				Applications	Tested Applications:	Positive C	Control s:
					WB, IHC, ELISA Species Specificity: human	WB : MJ cells, IHC : human tonsillitis tissue,	
Background Information	CD134 (OX40) is a member of the TNFR-superfamily of receptors. Predominantly expressed on activated T cells, CD134 is activated by its cognate ligand CD134L (OX40L) and functions as a T cell co-stimulatory molecule. CD134- CD134L interactions have been proposed as a potential therapeutic target for treating autoimmunity (PMID: 26215166). CD134 can interact with TRAF2, TRAF3, and TRAF5.						
Storage	Storage: Store at -20°C. Stable for one Storage Buffer: PBS with 0.02% sodium azic Aliquoting is unnecessary fo	de and 50% glycerol pH 7.3.					

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 31805-1-AP (CD134/OX40 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

MJ cells were subjected to SDS PAGE followed by western blot with 31805-1-AP (CD134/OX40 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.