

For Research Use Only

SKOR2 Polyclonal antibody

Catalog Number: 55370-1-AP



Basic Information

Catalog Number: 55370-1-AP	GenBank Accession Number: XM_001715219	Purification Method: Antigen affinity purification
Size: 750 µg/ml	GeneID (NCBI): 652991	Recommended Dilutions: WB 1:2000-1:16000
Source: Rabbit	UNIPROT ID: Q2VWA4	IHC 1:200-1:800 IF-P 1:50-1:500
Isotype: IgG	Full Name: functional smad suppressing element 18	
	Calculated MW: 104 kDa	
	Observed MW: 30kDa, 60 kDa	

Applications

Tested Applications:

WB, IHC, IF-P, ELISA

Species Specificity:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: mouse brain tissue, mouse cerebellum tissue, rat brain tissue

IHC: mouse cerebellum tissue,

IF-P: mouse cerebellum tissue,

Background Information

SKOR2 (SKI family transcriptional corepressor 2), also named FUSSEL18, is a transcriptional repressor that is highly expressed in the central nervous system (PMID: 16200078). SKOR2 was detected at 30 and 60 kD in the cerebellum. It is identified as a novel transcriptional regulator in Purkinje cells that acts upstream of Shh during cerebellum development (PMID: 21937600). Skor2 was detected in Purkinje cells in the human fetal cerebellum (PMID: 34140698).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 55370-1-AP (SKOR2 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse cerebellum tissue slide using 55370-1-AP (SKOR2 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse cerebellum tissue slide using 55370-1-AP (SKOR2 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse cerebellum tissue using SKOR2 antibody (55370-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).