For Research Use Only

pan Ras Monoclonal antibody

Catalog Number:60309-1-lg Featured Product

14 Publications

BC013572

3845

GeneID (NCBI):

UNIPROT ID:

oncogene homolog

Calculated MW:

GenBank Accession Number:



Basic Information

Applications

Catalog Number: 60309-1-lg Size: 830 μg/ml Source:

Mouse P01116 Full Name: Isotype: lgG1 v-Ki-ras2 Kirsten rat sarcoma viral

Immunogen Catalog Number:

AG2700

188 aa, 21 kDa Observed MW: 21 kDa

Tested Applications: Positive Controls:

FC (Intra), IHC, IP, WB, ELISA

Cited Applications:

WB, IF, IHC

Species Specificity:

human, mouse, rat, pig, rabbit, chicken

Cited Species:

human, rat, mouse, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

WB: fetal human brain tissue, pig brain tissue, HEK-293 cells, Neuro-2a cells, ROS1728 cells, rabbit brain tissue, rat brain tissue, mouse brain tissue, chicken brain tissue, human brain tissue

Purification Method:

Protein A purification

Recommended Dilutions:

IP 0.5-4.0 ug for 1.0-3.0 mg of total

WB 1:20000-1:50000

protein lysate

IHC 1:50-1:500

CloneNo.:

4H4G7

IP: mouse brain tissue.

IHC: human breast cancer tissue, human colon cancer tissue, human lung cancer tissue

Background Information

The 21 kDa guanine-nucleotide binding proteins (K-Ras, H-Ras, and N-Ras) belong to the Ras oncogene family, whose members are related to the transforming genes of mammalian sarcoma retroviruses. K-Ras, H-Ras, and N-Ras have similar structure and sequences. These proteins can bind GTP and GDP, and they have intrinsic GTPase activity. The ras genes are ubiquitously expressed although mRNA analysis suggests different level expression in tissue. Mutations in each ras gene frequently were found in different tumors, suggesting their involvement in the development of specific neoplasia. This antibody can recognize K-Ras, H-Ras, and N-Ras.

Notable Publications

Author	Pubmed ID	Journal	Application
Peng Yuan	27793842	Cancer Res	WB
Jia-Qing Zhang	33079330	Reprod Sci	WB
Wei Wang	33021072	J Cell Mol Med	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926 E: Proteintech-CN@ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 60309-1-lg (pan Ras Antibody) at dilution of 1:50000 incubated at room temperature for 1.5 hours.




Various lysates were subjected to SDS PAGE followed by western blot with 60309-1-lg (pan Ras antibody) at dilution of 1:50000 incubated at room temperature for 1.5 hours.




IP result of anti-pan Ras (IP:60309-1-Ig, 5ug; Detection:60309-1-Ig 1:2000) with mouse brain tissue lysate 4000 ug.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 60309-1-lg (pan Ras Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 60309-1-lg (pan Ras Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



1X10^6 HeLa cells were intracellularly stained with 0.4 ug Anti-Human pan Ras (60309-1-1g, Clone:4H4G7) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse 1gG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).