For Research Use Only

Anti-Human CD13 (WM15), PBS Only

Catalog Number:65186-1-PBS



Basic Information

Catalog Number: 65186-1-PBS

GenBank Accession Number: BC058928

Purification Method: Protein G purification

Size:

Mouse

Isotype:

IgG1, kappa

GeneID (NCBI):

290

CloneNo.: WM15

1mg, 1 mg/ml Source:

ENSEMBL Gene ID: ENSG00000166825 **UNIPROT ID:** P15144

Full Name: alanyl (membrane) aminopeptidase

Calculated MW: 110 kDa

Applications

Tested Applications:

IF/ICC, FC

Species Specificity:

human, non-human primates

Background Information

CD13, also named as APN, ANPEP (aminopeptidase N) or PEPN, is belongs to the peptidase M1 family. CD13 is a heavily glycosylated, ~150-240 kDa, type-II membrane, expressed by most cells of myeloid origin including monocytes, macrophages, granulocytes, and their hematopoietic precursors. It is also abundantly expressed in the brush border of epithelial cells from renal proximal tubules and small intestine, in prostatic epithelial cells, in bile duct canaliculi, in mast cells, and, in some cases, in fibroblasts and smooth muscle cells. CD13 is a multifunctional protein and plays varying roles in cell migration, cell proliferation, cell differentiation and so on. CD13 participates in angiogenesis generating and modulating angiogenic signals, and can be a marker of angiogenic vessels. CD13 is also a pan-myeloid marker, present on mature granulocytes and monocytes. (PMID: 8805662, 10098327, 18603472, 18097955, 17897790, 17888402, 21339174)

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

PBS Only


Selected Validation Data



Immunofluorescent analysis of un-fixed HUVEC cells using CD13 antibody (65186-1-lg, Clone: WM15) at dilution of 1:1000 and Multi-rAb CoraLite ® Plus 594-Goat Anti-Mouse Recombinant Secondary Antibody (H+L) (RGAM004). This data was developed using the same antibody clone with 65186-1-PBS in a different storage buffer formulation.



1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD13 (65186-1-Ig, Clone:WM15) and FITC-Goat anti-Mouse IgG at dilution 1:1000 or unstained. Cells were not fixed. Monocytes were gated. This data was developed using the same antibody clone with 65186-1-PBS in a different storage buffer formulation.



1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD13 (65186-1-1g, Clone:WM15) and FITC-Goat anti-Mouse IgG at dilution 1:1000 or unstained. Cells were not fixed. Monocytes were gated. This data was developed using the same antibody clone with 65186-1-PBS in a different storage buffer formulation.