

For Research Use Only

Anti-Human CD54 (15.2) Rabbit Recombinant Antibody



Catalog Number: 65509-1-RR

Basic Information

Catalog Number: 65509-1-RR	GenBank Accession Number: BC015969	Purification Method: Affinity purification
Size: 100ug, 0.5 mg/ml	GeneID (NCBI): 3383	CloneNo.: 15.2
Source: Rabbit	ENSEMBL Gene ID: ENSG00000090339	
Isotype: IgG	Full Name: intercellular adhesion molecule 1	
	Calculated MW: 90 kDa	

Applications

Tested Applications:
FC

Species Specificity:
Human

Background Information

ICAM-1 (CD54) is a 90-kDa transmembrane glycoprotein of the immunoglobulin superfamily and is critical for the firm attachment and transmigration of leukocytes out of blood vessels and into tissues (PMID: 19307690). ICAM-1 is expressed by several cell types, typically on endothelial cells and cells of the immune system, and its expression can be up-regulated by various stimuli, including TNF- α , INF- γ , IL-1 and thrombin (PMID: 3086451; 9694714; 15979056). It is a ligand for LFA-1 and Mac-1, serves as a receptor for rhinovirus, and is one of several receptors used by Plasmodium falciparum (PMID: 2566624; 2538244; 2475784).

Storage

Storage:
Store at 2-8°C. Stable for one year after shipment.

Storage Buffer:
PBS with 0.09% sodium azide.

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1×10^6 human PBMCs were surface stained with 0.05 μ g Anti-Human CD54 Rabbit Recombinant Antibody (65509-1-RR, Clone:15.2) or Rabbit IgG control Rabbit PolyAb, and CoraLite®647-Conjugated AffiniPure Donkey Anti-Rabbit IgG(H+L) at dilution 1:1000. Cells were treated with FC Receptor Block prior to staining. Cells were not fixed. Monocytes were gated.



1×10^6 human PBMCs were surface stained with 0.05 μ g Anti-Human CD54 Rabbit Recombinant Antibody (65509-1-RR, Clone:15.2) or Rabbit IgG control Rabbit PolyAb, and CoraLite®647-Conjugated AffiniPure Donkey Anti-Rabbit IgG(H+L) at dilution 1:1000. Cells were treated with FC Receptor Block prior to staining. Cells were not fixed. Monocytes were gated.