For Research Use Only

Anti-Mouse CD11c (N418) Mouse IgG2a Recombinant Antibody



Catalog Number: 65602-1-MR

Basic Information

Catalog Number:

65602-1-MR

Size:

100ug, 1 mg/ml Source:

Mouse Isotype: IgG2a GenBank Accession Number:

BC167225 GeneID (NCBI):

16411

Full Name: integrin alpha X

Purification Method: Protein A purification

CloneNo.: N418

Applications

Tested Applications:

FC

Species Specificity:

Mouse

Background Information

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated α and β subunits (PMID: 9779984). CD11c, also known as integrin α X, is a type I transmembrane glycoprotein present on a variety of cells, including monocytes/macrophages, granulocytes, a subset of B cells, NK cells and dendritic cells (PMID: 2897326; 1680915; 1694698; 17389580). As a result of its high level of expression on most dendritic cells, CD11c is typically considered to be a marker of conventional dendritic cells (PMID: 27119555). CD11c forms an α / β heterodimer with CD18 (integrin β 2). CD11c/CD18 acts a receptor for fibrinogen and is important in monocyte adhesion and chemotaxis (PMID: 1671533).

Storage


Storage:

Store at 2-8°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide.

Selected Validation Data





1x10^6 mouse splenocytes were surface stained with 0.25 ug Anti-Mouse CD11c (N418) Mouse IgG2a Recombinant Antibody (65602-1-MR, Clone: N418) (right), or Mouse IgG2a Isotype Control (C1.18.4) (65208-1-Ig, Clone: C1.18.4) (left) and FITC anti-mouse IgG2a Antibody. Cells well then stained with APC Anti-Mouse MHC Class II (I-A/I-E) (M5/114.15.2) (APC-65122, Clone: M5/114.15.2). Cells were not fixed.