For Research Use Only

Anti-Human CD13 (WM15) Mouse IgG2a Recombinant Antibody, PBS Only

Catalog Number: 65633-1-PBS



Basic Information

Catalog Number: 65633-1-PBS

Purification Method: Protein A purification

WM15

Size:

Source:

GeneID (NCBI):

BC058928

CloneNo.:

1mg, 2 mg/ml

ENSEMBL Gene ID:

ENSG00000166825 Full Name:

Mouse Isotype: IgG2a

alanyl (membrane) aminopeptidase

GenBank Accession Number:

Calculated MW: 110 kDa

Applications

Tested Applications:

Species Specificity:

human

Background Information

CD13, also named as APN, ANPEP (aminopeptidase N) or PEPN, is belongs to the peptidase M1 family. CD13 is a heavily glycosylated, ~150-240 kDa, type-II membrane, expressed by most cells of myeloid origin including monocytes, macrophages, granulocytes, and their hematopoietic precursors. It is also abundantly expressed in the brush border of epithelial cells from renal proximal tubules and small intestine, in prostatic epithelial cells, in bile $duct\ can a liculi, in\ mast\ cells,\ and,\ in\ some\ cases, in\ fibroblasts\ and\ smooth\ muscle\ cells.\ CD13\ is\ a\ multifunctional$ protein and plays varying roles in cell migration, cell proliferation, cell differentiation and so on. CD13 participates in angiogenesis generating and modulating angiogenic signals, and can be a marker of angiogenic vessels. CD13 is also a pan-myeloid marker, present on mature granulocytes and monocytes. (PMID: 8805662, 10098327, 18603472, 18097955, 17897790, 17888402, 21339174)

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

PBS Only

Selected Validation Data



1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human CD13 (WM15) Mouse IgG2a Recombinant Antibody (65633-1-MR, Clone: WM15) or Mouse IgG2a Isotype Control, and PE-conjugated Goat Anti-Mouse IgG. Cells were incubated with FC Receptor Block prior to fixing and staining. Cells were not fixed. Monocytes were gated. This data was developed using the same antibody clone with 65633-1-PBS in a different storage buffer formulation.



1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human CD13 (WM15) Mouse IgG2a Recombinant Antibody (65633-1-MR, Clone: WM15) (red) or Mouse IgG2a Isotype Control (blue), and PEconjugated Goat Anti-Mouse IgG. Cells were incubated with FC Receptor Block prior to fixing and staining. Cells were not fixed. Monocytes were gated. This data was developed using the same antibody clone with 65633-1-PBS in a different storage buffer formulation.