

For Research Use Only

# Albumin Monoclonal antibody, PBS Only (Detector)



Catalog Number: 66051-1-PBS

## Basic Information

<b>Catalog Number:</b> 66051-1-PBS	<b>GenBank Accession Number:</b> BC034023	<b>Purification Method:</b> Protein G purification
<b>Size:</b> 1mg/ml	<b>GeneID (NCBI):</b> 213	<b>CloneNo.:</b> 4A1C11
<b>Source:</b> Mouse	<b>UNIPROT ID:</b> P02768	
<b>Isotype:</b> IgG1	<b>Full Name:</b> albumin	
<b>Immunogen Catalog Number:</b> AG9885	<b>Calculated MW:</b> 609 aa, 69 kDa	
	<b>Observed MW:</b> 66 kDa	

## Applications

**Tested Applications:**  
WB, IF, IHC, Sandwich ELISA, Indirect ELISA

**Species Specificity:**  
human, rat, pig

## Background Information

Albumin is the most abundant protein in blood plasma. Alterations of level of serum albumin are linked to variety of diseases. Albumin is expressed exclusively by well-differentiated hepatocytes, thus anti-albumin has been used to mark hepatocytes. (21388516, 23832071) In addition, glycosylated serum albumin is also a potential diabetes biomarker.

## Storage

**Storage:**  
Store at -80°C.  
**Storage Buffer:**  
PBS Only

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


## Selected Validation Data




Immunohistochemical analysis of paraffin-embedded human liver using 66051-1-Ig(Alb antibody) at dilution of 1:50 (under 10x lens). This data was developed using the same antibody clone with 66051-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffin-embedded human liver using 66051-1-Ig(Alb antibody) at dilution of 1:50 (under 40x lens). This data was developed using the same antibody clone with 66051-1-PBS in a different storage buffer formulation.




human plasma (diluted 5000 fold) was subjected to SDS PAGE followed by western blot with 66051-1-Ig (Albumin Antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66051-1-PBS in a different storage buffer formulation.




Sandwich ELISA standard curve of MP50031-1, ALB Monoclonal Matched Antibody Pair, PBS Only. Capture antibody: 66051-2-PBS. Detection antibody: 66051-1-PBS. Standard: Ag9885. Range: 50-3200 ng/mL.



IP result of anti-Albumin (IP:66051-1-Ig, 4ug; Detection:66051-1-Ig 1:1000) with HepG2 cells lysate 1720 ug. This data was developed using the same antibody clone with 66051-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Methanol) fixed HepG2 cells using Albumin antibody (66051-1-Ig, Clone: 4A1C11 ) at dilution of 1:800 and CoraLite@488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66051-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Albumin antibody (66051-1-Ig, Clone: 4A1C11 ) at dilution of 1:400 and CoraLite@488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), CL594-Phalloidin (red). This data was developed using the same antibody clone with 66051-1-PBS in a different storage buffer formulation.