

For Research Use Only

PMS2 Monoclonal antibody, PBS Only

Catalog Number: 66075-1-PBS



Basic Information

Catalog Number:

66075-1-PBS

Concentration:

1mg/ml

Source:

Mouse

Isotype:

IgG2a

Immunogen Catalog Number:

AG12661

GenBank Accession Number:

BC093921

GeneID (NCBI):

5395

UNIPROT ID:

P54278

Full Name:

PMS2 postmeiotic segregation increased 2 (S. cerevisiae)

Calculated MW:

862 aa, 96 kDa

Observed MW:

100 kDa

Purification Method:

Protein A purification

CloneNo.:

1G4E6

Applications

Tested Applications:

WB, Indirect ELISA

Species Specificity:

human, mouse, rat

Background Information

PMS2, also named as PMSL2, belongs to the DNA mismatch repair mutL/hexB family. It is a component of the post-replicative DNA mismatch repair system (MMR). It heterodimerizes with MLH1 to form MutL alpha. MutL alpha (MLH1-PMS2) interacts physically with the clamp loader subunits of DNA polymerase III, suggesting that it may play a role to recruit the DNA polymerase III to the site of the MMR. It also implicated in DNA damage signaling, a process which induces cell cycle arrest and can lead to apoptosis in case of major DNA damages. (PMID: 16873062, PMID: 18206974) Defects in PMS2 are the cause of hereditary non-polyposis colorectal cancer type 4 (HNPCC4). Defects in PMS2 are a cause of mismatch repair cancer syndrome (MMRCS).

Storage

Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Vairous cells were subjected to SDS PAGE followed by western blot with 66075-1-Ig (PMS2 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66075-1-PBS in a different storage buffer formulation.



A431 cells were subjected to SDS PAGE followed by western blot with 66075-1-Ig (PMS2 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66075-1-PBS in a different storage buffer formulation.