For Research Use Only

IFITM2/3 Monoclonal antibody

Catalog Number:66081-1-lg Featured Product


15 Publications



Basic Information	Catalog Number: 66081-1-lg	GenBank Accession Number: BC070243		Purification Method: Protein A purification		
	Size: 2100 μg/ml	GenelD (NCBI): 10410		CloneNo.: 2E8D12		
	Source: Mouse Isotype: IgG1	buse interferon induced tran protein 3 (1-8U)		Recommended Dilutio WB 1:5000-1:50000 IHC 1:500-1:2000 IF 1:50-1:500	tions:	
	Immunogen Catalog Number: AG17863	15-20 kDa	15-20 kDa			
Applications	Tested Applications: FC, IF/ICC, IHC, WB, ELISA		Positive Con			
	Cited Applications: WB, IP, IF, FC, IHC				ells, THP-1 cells, HL-60 cells, K-562 cells, MCF-7 cells, HeLa cells, LNCaP cells, A54	
	Species Specificity: human			liver cancer tissue,		
	Cited Species: human	IF : U2OS cells,				
	Note-IHC: suggested antig TE buffer pH 9.0; (*) Alterr retrieval may be performe buffer pH 6.0	natively, antigen				
Background Information	IFITM3, also named as interferon-inducible protein 1-8U, belongs to the CD225 family. It is IFN-induced antiviral protein that mediates cellular innate immunity to at least three major human pathogens, namely influenza A H1N1 virus, West Nile virus (WNV), and dengue virus, by inhibiting the early steps of replication. IFITM3 is identified as interferon-induced cellular proteins that restrict infections by retroviruses and filoviruses and of influenza virus and flaviviruses, respectively. IFITM3, the most potent antiviral IFITM, was found to inhibit an uncharacterized early infectious event after VSV endocytosis, but before primary transcription of its viral genome. IFITM proteins are viral restriction factors that can inhibit infection mediated by the influenza A virus (IAV) hemagglutinin (HA) protein. They differentially restrict the entry of a broad range of enveloped viruses, and modulate cellular tropism independently of viral receptor expression. This antibody recognizes both IFITM2 and IFITM3.					
Notable Publications	Author	Pubmed ID 3	Journal		Application	
	Alex A Compton	27601221 I	EMBO Rep		WB	
	Julian Buchrieser	33051876 I	EMBO J		IF,FC	
	Guoli Shi	30301809 I	Proc Natl Acad Sci U	ISA	WB,IF	
Storage	Storage:	ar after shipment.				

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66081-1-lg (IFITM2/3 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRPconjugated GAPDH Monoclonal antibody (HRP-60004) as loading control.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 66081-1-1g (IFITM2/3 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed U2OS cells using IFITM2/3 antibody (66081-1-Ig, Clone: 2E8D12) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



1X10^6 HeLa cells were stained with 0.2ug IFITM2/3 antibody (66081-1-1g, red) and control antibody (blue). Fixed with 90% MeOH blocked with 3% BSA (30 min). Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L) with dilution 1:1000.