For Research Use Only

Fetuin-A Monoclonal antibody, PBS Only



Purification Method:

Protein A purification

CloneNo.:

1F6B9

Catalog Number: 66094-1-PBS

Basic Information

Catalog Number: 66094-1-PBS

Size:

GenBank Accession Number:

BC048198

GeneID (NCBI):

1 mg/ml 19

Source: UNIPROT ID: Mouse P02765

Isotype: Full Name:

IgG2a alpha-2-HS-glycoprotein

Immunogen Catalog Number: Calculated MW:

AG10073 367 aa, 39 kDa
Observed MW:

Observed 58 kDa

Applications

Tested Applications:

WB, IP, IF, IHC, Indirect ELISA

Species Specificity:

human


Background Information

Fetuin-A (alpha-2-HS-glycoprotein, AHSG), a liver borne plasma protein, contributes to the prevention of soft tissue calcification, modulates inflammation, reduces INS sensitivity and fosters weight gain following high fat diet or ageing. It is involved in several functions, such as endocytosis, brain development and the formation of bone tissue. The protein is commonly present in the cortical plate of the immature cerebral cortex and bone marrow hemopoietic matrix, and it has therefore been postulated that it participates in the development of the tissues.


Storage

Storage: Store at -80°C. Storage Buffer: PBS Only


Selected Validation Data




HepG2 cells were subjected to SDS PAGE followed by western blot with 66094-1-1g (Fetuin-A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66094-1-PBS in a different storage buffer formulation.



IP result of anti-Fetuin-A (IP:66094-1-lg, 3ug; Detection:66094-1-lg 1:3000) with HepG2 cells lysate 6000ug. This data was developed using the same antibody clone with 66094-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human liver cancer using 66094-1-Ig(Fetuin-A antibody) at dilution of 1:200 (under 10x lens). This data was developed using the same antibody clone with 66094-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human liver cancer using 66094-1-Ig(Fetuin-A antibody) at dilution of 1:200 (under 40x lens). This data was developed using the same antibody clone with 66094-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of HepG2 cells, using AHSG antibody 66094-1-lg at 1:25 dilution and Rhodamine-labeled goat anti-mouse lgG (red). This data was developed using the same antibody clone with 66094-1-PBS in a different storage buffer formulation.