For Research Use Only

AK2 Monoclonal antibody, PBS Only

Catalog Number:66127-1-PBS

Featured Product





Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** 66127-1-PBS BC009405 Protein A purification GeneID (NCBI): CloneNo.: Size: 1 mg/ml 204 3H2C10 UNIPROT ID: Source: Mouse P54819 Isotype: Full Name: lgG2a adenylate kinase 2 Calculated MW: Immunogen Catalog Number: AG17911 26 kDa Observed MW: 29 kDa **Applications Tested Applications:** WB, IF, IHC, Indirect ELISA **Species Specificity:** human, rat, mouse **Background Information** AK2(Adenylate kinase 2, mitochondrial) is also named as ADK2 and belongs to the adenylate kinase family. It plays a unique role in energy metabolism and energy transfer by regulating the ATP/ADP rate between the cytoplasma matrix and the mitochondria and it is increased expression during adipocyte and B cell differentiation(PMID:23020757). AK2 catalyzes the reversible transfer of a phosphoryl group from ATP to AMP(PMID:19043417). Defects in AK2 are the cause of reticular dysgenesis (RDYS)(PMID:19043416). It has 6 isoforms produced by alternative splicing. Storage Storage: Store at -80°C. Storage Buffer: PBS Only

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data






Immunohistochemical analysis of paraffinembedded human liver slide using 66127-1-Ig (AK2 Antibody) at dilution of 1:50. This data was developed using the same antibody clone with 66127-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human liver slide using 66127-1-Ig (AK2 Antibody) at dilution of 1:50. This data was developed using the same antibody clone with 66127-1-PBS in a different storage buffer formulation.

Various lysates were subjected to SDS PAGE followed by western blot with 66127-1-lg (AK2 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control. This data was developed using the same antibody clone with 66127-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of HepG2 cells using 66127-1-1g (AK2 antibody) at dilution of 1:50 and Rhodamine-Goat anti-Mouse IgG. This data was developed using the same antibody clone with 66127-1-PBS in a different storage buffer formulation.



WB result of AK2 antibody (66127-1-Ig; 1:60000; incubated at room temperature for 1.5 hours) with sh-Control and sh-AK2 transfected HeLa cells. This data was developed using the same antibody clone with 66127-1-PBS in a different storage buffer formulation.