For Research Use Only

C3/C3b/C3c Monoclonal antibody, PBS Only




Catalog Number:66157-1-PBS

Basic Information	Catalog Number: 66157-1-PBS	GenBank Accession Number: BC 150179	Purification Method: Protein G purification	
	Size:	GenelD (NCBI):	CloneNo.:	
	1 mg/ml Source:	718 UNIPROT ID:	2A6B3	
	Mouse	P01024		
	lsotype: lgG1	Full Name: complement component 3		
	Immunogen Catalog Number: AG15955	Calculated MW: 1663 aa, 187 kDa		
		Observed MW: 115 kDa		
Applications	Tested Applications: WB,IHC,IF,ELISA			
	Species Specificity: human			
Background Information	20010915). The third component of system. Its processing by C3 conv pathways (PMID: 11414361). Hum into C3a and C3b by C3 convertas	The complement system is an important effector which bridges the innate and adaptive immune systems (PMID: 20010915). The third component of complement, C3, plays a central role in the activation of the complement system. Its processing by C3 convertase is the central reaction in both classical and alternative complement pathways (PMID: 11414361). Human C3, composed of α and β chains (115 and 75 kDa, respectively), is cleaved into C3a and C3b by C3 convertase. C3b is further cleaved into iC3b, C3c, C3dg and C3f. This antibody raised against 1314-1663 aa of human C3 protein recognize C3 alpha chain, C3b alpha' chain, and C3c alpha' chain fragment 2.		
Storage	Storage: Store at -20°C. Stable for one year	after shipment.		
Stolage	Storage Buffer: PBS only	·		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




human plasma were subjected to SDS PAGE followed by western blot with 66157-1-1g (C3/C3b/C3c antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66157-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 66157-1-Ig (C3/C3b/C3c antibody) at dilution of 1:50 (under 10x lens). This data was developed using the same antibody clone with 66157-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 66157-1-Ig (C3/C3b/C3c antibody) at dilution of 1:50 (under 40x lens). This data was developed using the same antibody clone with 66157-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using 66157-1-Ig (C3/C3b/C3c antibody) at dilution of 1:100 and Alexa Fluor 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66157-1-PBS in a different storage buffer formulation.