For Research Use Only

## L2HGDH Monoclonal antibody, PBS Only



**Purification Method:** 

Protein A purification

CloneNo.:

3D11C2

Catalog Number: 66269-1-PBS

**Basic Information** 

Catalog Number: GenBank Accession Number: BC006117

66269-1-PBS GeneID (NCBI): Size:

1 mg/ml 79944 Source: **UNIPROT ID:** Mouse Q9H9P8 Isotype: Full Name:

lgG2a L-2-hydroxyglutarate dehydrogenase

Calculated MW: Immunogen Catalog Number:

AG8382 463aa,50 kDa; 441aa,49 kDa

> Observed MW: 45 kDa

**Applications** 

**Tested Applications:** WB,Indirect ELISA,IHC,IF Species Specificity: human, pig

## **Background Information**

 $L2 HGDH (L-2-hydroxyglutarate\ dehydrogenase,\ mit ochondrial)\ is\ also\ named\ as\ duranin,\ C14 or f160\ and\ belongs\ to$ the L2HGDH family. The putative L2HGDH is predicted to be targeted to the mitochondria where its mitochondrial targeting sequence is presumably removed(PMID:16005139). Defects in L2HGDH are the cause of L-2hydroxyglutaric aciduria (L2HGA). It has 2 isoforms produced by alternative splicing with the molecular weight of 50 kDa and 48 kDa. L2HGDH also can be detected as ~45kD due to the 51aa transit peptide cleaved.


Storage

Storage: Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only


## Selected Validation Data




Immunofluorescent analysis of (4% PFA) fixed human breast cancer tissue using L2HGDH antibody (66269-1-Ig, Clone: 3D11C2) at dilution of 1:400 and Coralite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66269-1-PBS in a different storage buffer formulation.




Immunofluorescent analysis of (4% PFA) fixed human breast cancer tissue using L2HGDH antibody (66269-1-Ig, Clone: 3D11C2) at dilution of 1:400 and Coralite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66269-1-PBS in a different storage buffer formulation.



pig brain tissue were subjected to SDS PAGE followed by western blot with 66269-1-lg (L2HGDH Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66269-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66269-1-lg (L2HGDH Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66269-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66269-1-lg (L2HGDH Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66269-1-PBS in a different storage buffer formulation.