For Research Use Only

NUP62 Monoclonal antibody, PBS Only

Catalog Number:66573-1-PBS



Purification Method:

CloneNo.:

2G12B3

Protein G purification

Basic Information

Catalog Number: 66573-1-PBS

Size:

GenBank Accession Number:

BC014842

GeneID (NCBI):

2000 ug/ml 23636

Source: UNIPROT ID: Mouse P37198
Isotype: Full Name:

IgG1 nucleoporin 62kDa

Immunogen Catalog Number:Calculated MW:AG4912522 aa, 53 kDa

522 aa, 53 kDa Observed MW:

62 kDa

Applications

Tested Applications:

WB, IHC, Indirect ELISA

Species Specificity:

human, mouse, rat

Background Information

NUP62 belongs to the nucleoporin NSP1/NUP62 family. It is essential component of the nuclear pore complex. The N-terminal is probably involved in nucleocytoplasmic transport. The C-terminal is probably involved in protein-protein interaction via coiled-coil formation and may function in anchorage of p62 to the pore complex. Defects in NUP62 are the cause of infantile striatonigral degeneration (SNDI). NUP62 consists of a single promoter with a CpG island and three transcribed exons. It is ubiquitously expressed, an observation compatible with its essential role in transporting cargo across the nuclear envelope. (PMID:16029492)

Storage

Storage:


Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C


Storage Buffer:

PBS Only


Selected Validation Data



Various cells were subjected to SDS PAGE followed by western blot with 66573-1-1g (NUP62 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66573-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 66573-1-lg (NUP62 antibody) at dilution of 1:2000 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66573-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 66573-1-Ig (NUP62 antibody) at dilution of 1:2000 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66573-1-PBS in a different storage buffer formulation.