For Research Use Only

NEUROG1 Monoclonal antibody

Catalog Number:66642-1-lg




Basic Information	Catalog Number: 66642-1-lg	GenBank Accession Number: BC008687	Purification Method: Protein G purification	
	Size: 1100 µg/ml	GenelD (NCBI): 4762	CloneNo.: 1E1H6	
	Source: Mouse	UNIPROT ID: Q92886	Recommended Dilutions: WB 1:1000-1:4000	
	lsotype: lgG1	Full Name: neurogenin 1		
	Immunogen Catalog Number: AG26438	Calculated MW: 237 aa, 26 kDa		
		Observed MW: 20-25 kDa		
Applications	Tested Applications: WB,ELISA		itive Controls:	
	WB: HEK-		293 cells, Y79 cells, Neuro-2a cells, HeLa se brain tissue	
	NEUROG1, also named BHLHA6, NEUROD3, NGN, and NGN1, is a 237 amino acid protein, which is expressed in embryonic nervous system. NEUROG1 acts as a transcriptional regulator that is involved in the initiation of neuron differentiation. It activates transcription by binding to the E box (5'-CANNTG-3'). NEUROG1 can associate with chromatin to enhancer regulatory elements in genes encoding key transcriptional regulators of neurogenesis.			
Background Informatio	embryonic nervous system. NEUR differentiation. It activates transc	OG1 acts as a transcriptional regulato ription by binding to the E box (5'-CAN	that is involved in the initiation of neuron INTG-3'). NEUROG1 can associate with	
Background Informatio	embryonic nervous system. NEUR differentiation. It activates transc	OG1 acts as a transcriptional regulato ription by binding to the E box (5'-CAN elements in genes encoding key trans after shipment.	that is involved in the initiation of neuron INTG-3'). NEUROG1 can associate with	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



HEK-293 cells were subjected to SDS PAGE followed by western blot with 66642-1-lg (NEUROG1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.